


Backboard and Rim Display Manual



Toll-Free Customer Service Number for U.S: **1-800-558-5234**, For Canada: **1-800-284-8339**,
For Europe: **00 800 555 85234** (Sweden: **009 555 85234**), For Australia: **1300 367 582**

Internet Address: **www.spalding.com** **www.spalding.com.au**

NOTICE TO ASSEMBLERS

Adult Assembly Required. Dispose of ALL packaging materials promptly. As with all products, periodically inspect for loose small parts.

ALL basketball systems, including those used for DISPLAYS, MUST be assembled and installed according to instructions. Failure to follow instructions could result in SERIOUS INJURY. It is NOT acceptable to devise a makeshift support system.



SAFETY INSTRUCTIONS



FAILURE TO FOLLOW THESE SAFETY INSTRUCTIONS MAY RESULT IN SERIOUS INJURY OR PROPERTY DAMAGE AND WILL VOID WARRANTY

Owner must ensure that all players know and follow these rules for safe operation of the system.

To ensure safety, do not attempt to assemble this system without following the instructions carefully. Check entire box and inside all packing material for parts and/or additional instruction material. Before beginning assembly, read the instructions and identify parts using the hardware identifier and parts list in this document. Proper and complete assembly, use, and supervision are essential for proper operation and to reduce the risk of accident or injury. A high probability of serious injury exists if this system is not installed, maintained, and operated properly.

- If using a ladder during assembly, use extreme caution.
- Two (2) capable adults are recommended for this operation.
- Climate, corrosion, or misuse could result in system failure.
- Minimum operational height is 6' 6" (1.98 m) to the bottom of backboard.
- This equipment is intended for home recreational use only and NOT excessive competitive play.
- The life of your basketball pole depends on many conditions. The climate, placement of the pole, location of the pole, exposure to corrosives such as pesticides, herbicides, or salts are all important.
- If technical assistance is required, contact Customer Service.

*Most injuries are caused by misuse and/or not following instructions.
Use caution when using this system.*

REQUIRED TOOLS AND MATERIALS:



- Two (2) Capable Adults




- Tape Measure




- Step Ladder - 8ft. (2.4 m)

- (2 each) Wrenches and/or Socket Wrenches and Sockets (Deep-Well Sockets are Recommended).




AND/OR



- Extension is Recommended.

OPTIONAL TOOLS AND MATERIALS:



- Large and Small Adjustable Wrenches

Adult Assembly Required.


PARTS LIST - See Hardware Identifier

☒	Item	Qty.	Part No.	Description
☐	1	1		Backboard
☐	2	2	200837	Spacer, Plastic
☐	3	4	203100	Hex Flange nut 5/16-18
☐	4	4	201611	Bolt, Hex Flange, 5/16-18 x 3" long
☐	5	1	203470	Washer, Flat, 1.5" O.d.
☐	6	1		Rim
☐	7	1		Net
☐	8	6	206303	Washer, Flat
☐	9	1	900033	Bracket, Slam Jam
☐	10	1	206048	Bolt, Tee, 3/8-16, 3.25" long
☐	11	1	200318	Bracket, Reinforcement, Slam Jam
☐	12	1	208760	Spring, 2.63" LG,BK
☐	13	1	203795	Nut, Special, 3/8-16
☐	14	2	201596	Screw, 1/4x1.25
☐	15	1	20157801	Board Pad, left Section
☐	16	1	20157901	Board Pad, Right Section
☐	17	1	201580	Board Pad, Center Section
☐	18	2	200520	Screw, #8 x 3/4" Long
☐	19	1	20279502	Label, Spalding Logo
☐	20	1	200504	Cover, Rim
☐	21	4	202871	Screw, 1/4x0.75


IMPORTANT!

Remove all contents from boxes.


HARDWARE IDENTIFIER (BOLTS & SCREWS)




#4 (4)




#18 (2)



#14 (2)




#21 (4)




#10 (1)


HARDWARE IDENTIFIER (Not Actual Size)




#9 (1)




#11 (1)




#7 (1)




#6 (1)



#12 (1)




#2 (2)



#1 (1)



#17 (1)




#16 (1)




#15 (1)


HARDWARE IDENTIFIER (NUTS, WASHERS AND SPACERS)




#3 (4)



#13 (1)



#8 (6)




#5 (1)

1.

ASSEMBLE THE BACKBOARD AND RIM

This is what your system will look like when you've finished this section.




WARNING!



IF YOUR SYSTEM IS EQUIPPED WITH AN ACRYLIC BACKBOARD, EXAMINE BACKBOARD FOR ANY DAMAGE THAT MAY HAVE OCCURRED DURING SHIPMENT. CRACKS IN THE BACKBOARD COULD RESULT IN SUDDEN BREAKAGE. IF BACKBOARD IS DAMAGED IN ANY WAY PRIOR TO OR AFTER ASSEMBLY, CALL TOLL-FREE NUMBER: U.S. 1-800-558-5234; CANADA: 1-800-284-8339; <http://www.spalding.com>

TOOLS REQUIRED




1/2"


9/16"

3/4"

AND/OR



1/2"



9/16"




3/4"

A**BACKBOARD MOUNT****WARNING!**

READ AND UNDERSTAND
OPERATOR'S MANUAL
BEFORE USING THIS UNIT.

FAILURE TO FOLLOW
OPERATING INSTRUCTIONS
COULD RESULT IN INJURY
OR DAMAGE TO PROPERTY.




**We recommend mounting backboard to a solid
material (steel) behind rim area.**

2.

Install Slam Jam Rim to Backboard






- A. Fit rim (12) securely into bracket (17) as shown. Allow T-bolt (18) to slip through center hole in rim (12).
- B. Install reinforcement bracket (11) onto T-bolt (18) as shown.
- C. Install spring (20) onto T-bolt (18) as shown.
- D. Install special nut (21) and washer (10) onto T-bolt (18).
- E. Tighten nut (21) until 1/8" of the bolt threads on end of T-bolt (18) are exposed.

NOTE:




11

**ORIENTATION
OF BRACKET**




Install Cover

- 3.** Install cover (20) over spring return mechanism as shown.



4. Install net (7).



5. Install board pads (15,16,17) using Hex Head screws (14, 21) and Washers (8).

